



Pneumatici za teretna vozila

Dimenzija	Indeks nosivosti	Indeks brzine	MODEL
9,5 R 17,5	129/127	M	R 227
9,5 R 17,5	129/127	M	M 729
10 R 17,5	134/132	L	R 180
10 R 17,5	134/132	L	VSX
205/75 R 17,5	124/122	M	R 227
205/75 R 17,5	124/122	M	M 729
205/75 R 17,5	124/122	M	M 788
215/75 R 17,5	126/124	M	R 227
215/75 R 17,5	126/124	M	M 729
215/75 R 17,5	126/124	M	M 788
225/75 R 17,5	128/126	M	R 227
225/75 R 17,5	129/127	M	M 729
225/75 R 17,5	129/127	M	M 788
235/75 R 17,5	132/130	M	R 227
235/75 R 17,5	132/130	M	M 729
245/70 R 17,5	136/134	M	R 227
245/70 R 17,5	136/134	M	M 729
265/70 R 17,5	138/136	M	R 227
265/70 R 17,5	138/136	M	M 729
245/70 R 19,5	136/134	M	R 227
245/70 R 19,5	136/134	M	M 729
265/70 R 19,5	140/138	M	R 227
265/70 R 19,5	140/138	M	M 729
265/70 R 19,5	140/138	M	M 788
285/70 R 19,5	144/142	M	R 227
285/70 R 19,5	145/143	M	M 729
285/70 R 19,5	146/144	M	M 788
305/70 R 19,5	148/145	M	R 227
305/70 R 19,5	148/145	M	M 729
9 R 22,5	133/131	L	M 840
10 R 22,5	144/133	L	R 295
10 R 22,5	144/133	L	M 716
11 R 22,5	148/145	L	R 297
11 R 22,5	148/145	J	R 192 City
11 R 22,5	148/145	K	M 840
11 R 22,5	148/145	L	M 758 MCC
12 R 22,5	152/148	M	R 295
12 R 22,5	152/148	L	R 297
12 R 22,5	152/148	L	M 729
12 R 22,5	152/148	L	M 758 MCC
12 R 22,5	152/148	K	M 840
12 R 22,5	152/150	K	W 970
13 R 22,5	156/150	K	R 187
13 R 22,5	156/150	L	R 297
13 R 22,5	154/150	L	M 729
13 R 22,5	154/150	K	M 840
13 R 22,5	154/150	K	L 355
13 R 22,5	154/150	G	L 317
275/80 R 22,5	148/144	M	R 294
295/80 R 22,5	152/148	M	R 249
295/80 R 22,5	152/148	K	R 297
295/80 R 22,5	152/148	J	R 192 City
295/80 R 22,5	152/148 (154/150)	J (E)	R 192 City

Dimenzija	Indeks nosivosti	Indeks brzine	MODEL
295/80 R 22,5	152/148	M	M 729
295/80 R 22,5	152/148	M	M 730
295/80 R 22,5	152/148	M	M 730 SIPED
295/80 R 22,5	152/148	M	M 749
295/80 R 22,5	152/148	M	W 958
295/80 R 22,5	152/148	M	M 788
295/80 R 22,5	152/148	K	M 840
295/80 R 22,5	152/148	M	W 970
295/80 R 22,5	152/148	M	W 990
315/80 R 22,5	156/150	L	R 249
315/80 R 22,5	156/150	K	R 297
315/80 R 22,5	154/150 (156/150)	M (L)	M 729
315/80 R 22,5	154/150 (156/150)	M (L)	M 730
315/80 R 22,5	154/150 (156/150)	M (L)	M 730 SIPED
315/80 R 22,5	154/150 (156/150)	M (L)	M 749
315/80 R 22,5	154/150 (156/150)	M (L)	W 958
315/80 R 22,5	156/150	L	M 788
315/80 R 22,5	156/150 (154/150)	K (M)	M 840
315/80 R 22,5	154/149	K	L 355
315/80 R 22,5	154/150 (156/150)	M (L)	W 970
315/80 R 22,5	154/150 (156/150)	M (L)	W 990
255/70 R 22,5	140/137	M	R 294
275/70 R 22,5	148/145	M	R 249
275/70 R 22,5	148/145	K	R 297
275/70 R 22,5	148/145	J	R 192 City
275/70 R 22,5	148/145	M	M 729
275/70 R 22,5	148/145	K	M 840 II
275/70 R 22,5	148/145	M	M 788
275/70 R 22,5	148/145	M	W 970
305/70 R 22,5	150/148 (152/148)	M (L)	R 249
305/70 R 22,5	150/148	M	M 729
315/70 R 22,5	152/148	M	R 249
315/70 R 22,5	156/154	M	R 249 EVO
315/70 R 22,5	152/148	M	R 297
315/70 R 22,5	156/154	M	R 297 EVO
315/70 R 22,5	152/148 154/150	M	M 729
315/70 R 22,5	152/148 154/150	M (L)	M 730
315/70 R 22,5	152/148 154/150	M (L)	M 730 SIPED
315/70 R 22,5	152/148 154/150	M (L)	M 749
315/70 R 22,5	152/148	M	M 788
315/70 R 22,5	152/154	M (L)	W 958
315/70 R 22,5	152/148 154/150	M (L)	W 990
295/60 R 22,5	149/146	L	R 249
295/60 R 22,5	150/147	L	M 749
295/60 R 22,5	150/147	L	W 990
315/60 R 22,5	152/148	L	R 249
315/60 R 22,5	154/148	L	R 249 EVO
315/60 R 22,5	152/148	L	M 749
7,50 R 15	135/133	J	R187
8,25 R 15	143/141	J	R 187
9,5 R 17,5	143/141	J	R 168
215/75 R 17,5	135/133	J	R 168
235/75 R 17,5	143/141	J	R 168
245/70 R 17,5	143 (144)	J(F)	R 168
205/65 R 17,5	127/125 (129/129)	J(F)	R 168
245/70 R 19,5	141/140	J	R 168
265/70 R 19,5	143/141	J	R 168

Dimenzija	Indeks nosivosti	Indeks brzine	MODEL
285/70 R 19.5	150/148	J	R 168
435/50 R 19,5	160	J	R 166
205/80 R 15	124/122	J	R 184
365/80 R 20	160 (158)	K (L)	M 748
385/65 R 22,5	160 (158)	K (L)	R 168
385/65 R 22,5	160 (158)	K (L)	R 164
385/65 R 22,5	160 (158)	K (L)	M 748
385/65 R 22,5	160 (158)	K (L)	R 249
385/65 R 22,5	160 (158)	K (L)	M 788
425/65 R 22,5	165	K	R 164
425/65 R 22,5	165	K	M 748
445/65 R 22,5	169	K	M 748
445/65 R 22,5	169	K	M 844
385/55 R 22,5	160 (158)	K (L)	R 168
385/55 R 22,5	160 (158)	K (L)	R 249
435/45 R 22,5	162	J	R 173
495/45 R 22,5	169	M	M 709